



Step-by-Step with Modern Masters

RECIPE N° 10 | Venetian Shimmer



With a lustrous base and a 'stain' finish, this recipe gives a modern flip to the traditional Venetian Plaster treatment. The colors are easy customizable and can range from ethereal whites for a more contemporary home to darker, richer colors for a Hollywood Regency inspired space - and everything in between. This coloration combines two complementary colors for a warm, pleasing effect. Beautiful for wall surfaces in any room.

PRODUCTS NEEDED

- Modern Masters [ShimmerStone Tintable Base](#) tinted to Benjamin Moore Mount Saint Anne #1565
- Modern Masters [Venetian Plaster Ultra-Deep Tint Base](#) tinted to Benjamin Moore California Redwood #1190
- Modern Masters Venetian Plaster Ultra-Deep Tint Base tinted to Benjamin Moore Audubon Russet HC51
- Modern Masters [Wall Glazing Cream](#)
- Modern Masters [Aged Mahogany Glazing Cream Color](#)

TOOLS NEEDED

- Modern Masters [225mm Japanese Trowel](#)
- 4" Japan Scraper
- Rags, Stir Sticks, and Mixing Containers



Step-by-Step with Modern Masters

RECIPÉ N° 10 | Venetian Shimmer



STEP 1: Over any neutral base color, skip trowel a layer of the tinted Shimmer Stone over the surface. Be sure to create some movement with the trowel. It's ok to leave some of your chosen neutral base color peeking through. Let dry completely.

STEP 2: Load equal amounts of the California Redwood Venetian Plaster and the Audubon Russet Venetian Plaster to the center of the trowel. Skip trowel the dual combo over 60% of the surface being careful not to mix the colors too much. Reload the trowel often and pull some areas tighter than others, building movement. Leave about 20% of the ShimmerStone layer peeking through. Let dry.

STEP 3: Mix 1 oz. Aged Mahogany Glazing Cream Color with 2 cups Wall Glazing Cream. Tightly trowel over 100% of the surface with a Japan Scraper.

STEP 4: While the Aged Mahogany glaze is still wet, dab off some of the excess glaze from the surface with a dry rag. Be sure to leave some glaze trapped in the textured areas. Let dry approximately 1 hour and then buff the surface with a soft rag to bring up the sheen.

You are done!